

Boring, Conduit-Handhole Installation and Pulling Fiber Industrial Drive, Craven County
Addendum#1 – October 21, 2015

Handholes used on DOT Rights of Way in this project must be Tier 15, construction material may be of any type as long as they meet the required DOT specifications. Please note new handhole sizes.

Clarks Road handhole to Handhole #1:

Install 1 (one) 1.25” conduit from Clarks Road Handhole (red dot) to Handhole #1. Size of handhole #1 shall be 30x60x36, tier 15. This could become a major tie in junction, installation should be as far back on state right of way as possible.

Handhole #1 to Handhole #2:

Install 3 (three) 1.25” conduits from handhole #1 to handhole #2. Size of handhole #2 shall be 30x48x24, tier 15. Install handhole #2 as far back as possible on state right of way.

Handhole #2 to Handhole #3:

Install 3 (three) 1.25” conduits from handhole #2 to handhole #3. Size of handhole #3 shall be 30x60x36, tier 15. Handhole #3 will be installed on County property and will accommodate fiber in-to and out-of the major demarcation point, the Agriculture Extension Building.

Handhole #3 to Handhole#4:

Install 3 (three) 1.25” conduits from handhole #3 to handhole #4. Size of handhole #4 shall be 24x36x24, tier 5, and is targeted to be installed as close as possible to the Agriculture Extension Building. Handhole #4 will have exit conduits into the Agriculture Extension Building to the demarcation room. Conduits into the building will be provided by the county.

Handhole #3 to Handhole #5:

Install 3 (three) 1.25” conduits from handhole #3 to handhole #5. Size of handhole #5 shall be 30x48x24, tier 15. Install handhole #5 as far back as possible on state right of way.

Handhole #5 to Handhole #6:

Install 3 (three) 1.25” conduits from handhole #5 to handhole #6. Size of handhole #6 shall be 30x48x24, tier 15. Install handhole #6 as far back as possible on state right of way.

Handhole #6 to Handhole #7:

Install 3 (three) 1.25” conduits from handhole #6 to handhole #7. Size of handhole #7 shall be 30x48x24, tier 15. Install handhole #7 as far back as possible on state right of way.

Handhole #7 to Handhole #8:

Install 3 (three) 1.25” conduits from handhole #7 to handhole #8. Size of handhole #8 shall be 30x48x24, tier 15. Install handhole #8 as far back as possible on state right of way.

Handhole #8 to Handhole #9:

Install 3 (three) 1.25” conduits from handhole #8 to handhole #9. Size of handhole #9 shall be 30x48x24, tier 15. Install handhole #9 as far back as possible on state right of way.